


E1400

System: \E14000
Typical Use Vertical


Reinforcement None
I = 3.27
S = 1.45
Alloy: 6063 T6



E1430

Reinforcement None
I = 5.17
S = 2.3
Alloy: 6063 T6


System: \E14000
Typical Use Vertical



E1435_E14445

System: \E14000
 Typical Use Vertical


Reinforcement None
 I = 5.31
 S = 2.36
 Alloy: 6063 T6



E14021

System: \E14000
Typical Use Door Jamb


Reinforcement None
I = 3.21
S = 1.43
Alloy: 6063 T6



E14106_E14107

System: \E14000
 Typical Use Vertical Expansion Mull


Reinforcement None
 I = 3.56
 S = 1.58
 Alloy: 6063 T6



E14141_E14445

System: \E14000
 Typical Use Vertical


Reinforcement None
 I = 3.04
 S = 1.35
 Alloy: 6063 T6



E14145

System: \E14000
Typical Use Door Jamb


Reinforcement None
I = 3.5
S = 1.55
Alloy: 6063 T6



E14245

System: \E14000
Typical Use Door Jamb


Reinforcement None
I = 5.66
S = 2.51
Alloy: 6063 T6



T1400

System: T14000
Typical Use Vertical


Reinforcement None
I = 3.1
S = 1.38
Alloy: 6063 T6



T1430

Reinforcement None
I = 4.91
S = 2.18
Alloy: 6063 T6


System: T14000
Typical Use Vertical



T1435_T14445

System: T14000
 Typical Use Vertical


Reinforcement None
 I = 5.04
 S = 2.24
 Alloy: 6063 T6



T14052_T14445

System: T14000
 Typical Use Vertical


Reinforcement None
 I = 5.93
 S = 2.64
 Alloy: 6063 T6



T14052_T14442

System: T14000
 Typical Use Vertical


Reinforcement None
 I = 6.01
 S = 2.66
 Alloy: 6063 T6



T14106_T14107

System: T14000
 Typical Use Vertical Expansion Mull


Reinforcement None
 I = 3.38
 S = 1.5
 Alloy: 6063 T6



T14118_T14118

System: T14000
Typical Use Vertical


Reinforcement None
I = 5.74
S = 2.55
Alloy: 6063 T6



T14119_T14119

System: T14000
 Typical Use Vertical


Reinforcement None
 I = 5.51
 S = 2.44
 Alloy: 6063 T6



T14441_T14445

System: T14000
 Typical Use Vertical


Reinforcement None
 I = 2.54
 S = 1.12
 Alloy: 6063 T6



T14441_A244040

System: T14000
 Typical Use Vertical


Reinforcement None
 I = 2.97
 S = 1.31
 Alloy: 6063 T6



T14441_T14442

System: T14000
Typical Use Vertical


Reinforcement None
I = 2.98
S = 1.32
Alloy: 6063 T6



T14246_T14247

System: T14000
Typical Use Vertical


Reinforcement None
I = 5.51
S = 2.38
Alloy: 6063 T6



T14251_T14445

System: T14000
 Typical Use Vertical


Reinforcement None
 I = 2.93
 S = 1.51
 Alloy: 6063 T6



T14251_T14442

System: T14000
Typical Use Vertical

Reinforcement None
I = 2.46
S = 1.29
Alloy: 6063 T6



T14261_T14445

System: T14000
 Typical Use Vertical @144"

Reinforcement P1437
 I = 7.97
 S = 3.58
 Alloy: 6063 T6

