

TR4355E 70 DURO EPDM CUSTOM GASKETVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : TR4355E 70 DURO EPDM CUSTOM GASKET

Product code : 0024355E7Z

COMPANY : Tremco Incorporated
3735 Green Road
Cleveland, OH 44122

Telephone : (216) 292-5000 8:30 - 5:00 EST
Emergency Phone : (216) 765-6727 8:30 - 5:00 EST
After Hours: Chemtrec 1-800-424-9300

SECTION 2 - HAZARDS IDENTIFICATION**Emergency Overview**

Various colors. Solid. No serious effects anticipated under normal conditions of use. No known applicable information.

Acute Potential Health Effects/ Routes of Entry

Inhalation : No serious effects anticipated under normal conditions of use.
Eyes : Not applicable under normal conditions of use.
Ingestion : Not applicable under normal conditions of use.
Skin : Not applicable under normal conditions of use.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal conditions of use.

SECTION 3 - PRODUCT COMPOSITION

This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : No known applicable information.
Eye contact : No known applicable information.
Skin contact : No known applicable information.
Ingestion : Not applicable under normal conditions of use.

TR4355E 70 DURO EPDM CUSTOM GASKETVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 5 - FIRE FIGHTING MEASURES

Flash point	:	Not available.
Method	:	Not available.
Lower explosion limit	:	Not available.
Upper explosion limit	:	Not available.
Autoignition temperature	:	Not available.
Extinguishing media	:	This product is not expected to burn under normal conditions of use.
Hazardous combustion products	:	Not available.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Not Applicable

SECTION 7 - HANDLING AND STORAGE

Store under normal warehouse conditions.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal protection equipment**

Respiratory protection	:	Not required under normal conditions of use.
Hand protection	:	Protect hands with impervious gloves.
Eye protection	:	Wear appropriate eye protection.
Engineering measures	:	Not required under normal conditions of use.

Exposure Limits

No known components with exposure limits.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form	:	Solid
Color	:	Various colors
Odor	:	Slight Rubber
pH	:	Not available.
Vapour pressure	:	Not available.
Vapor density	:	Not available.
Melting point/range	:	Not available.
Freezing point	:	Not available.

TR4355E 70 DURO EPDM CUSTOM GASKET

Version 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

Boiling point/range : Not available.
Water solubility : Not available.
Specific Gravity : Not available.
% Volatile Weight : 0 %

SECTION 10 - REACTIVITY / STABILITY

Substances to avoid : Not Applicable.
Stability : Not Applicable
Hazardous polymerization : Not Applicable

SECTION 11 - TOXICOLOGICAL INFORMATION

No Data Available

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : Waste not regulated under RCRA. Dispose of in compliance with state and local regulations.

SECTION 14 - TRANSPORTATION / SHIPPING DATA

CFR / DOT:

Not Regulated

TDG:

Not Regulated

IMDG:

Not Regulated

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory.
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

TR4355E 70 DURO EPDM CUSTOM GASKET

Version 5.0
 REVISION DATE: 03/10/2015

Print Date 05/26/2016

U.S. Federal Regulations:

- SARA 313 Components : None present or none present in regulated quantities.
- SARA 311/312 Hazards : Based on an evaluation of the components used, this product does not contain hazardous ingredients identified as per 29 CFR 1910.1200
- OSHA Hazardous Components : This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.
- OSHA Flammability : Not Regulated
- Regulatory VOC (less water and exempt solvent) : Not available.
- VOC Method 310 : Not available.

SECTION 16 - OTHER INFORMATION

HMIS Rating :

Health	1
Flammability	0
Reactivity	0
PPE	

- 0 = Minimum
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

- ACGIH - American Conference of Governmental Hygienists
- CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
- DOT - Department of Transportation
- DSL - Domestic Substance List
- EPA - Environmental Protection Agency
- HMIS - Hazardous Materials Information System
- IARC - International Agency for Research on Cancer
- MSHA - Mine Safety Health Administration
- NDSL - Non-Domestic Substance List
- NIOSH - National Institute for Occupational Safety and Health
- NTP - National Toxicology Program
- OSHA - Occupational Safety and Health Administration
- PEL - Permissible Exposure Limit
- RCRA - Resource Conservation and Recovery Act
- RTK - Right To Know
- SARA - Superfund Amendments and Reauthorization Act
- STEL - Short Term Exposure Limit
- TLV - Threshold Limit Value
- TSCA - Toxic Substances Control Act
- TWA - Time Weighted Average
- V - Volume
- VOC - Volatile Organic Compound
- WHMIS - Workplace Hazardous Materials Information System

TR4361E CUSTOM BLOCK 4" LONGVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : **TR4361E CUSTOM BLOCK 4" LONG**

Product code : 0024361EA4

COMPANY : Tremco Incorporated
3735 Green Road
Cleveland, OH 44122

Telephone : (216) 292-5000 8:30 - 5:00 EST
Emergency Phone : (216) 765-6727 8:30 - 5:00 EST
After Hours: Chemtrec 1-800-424-9300

SECTION 2 - HAZARDS IDENTIFICATION**Emergency Overview**

Various colors. Solid. No serious effects anticipated under normal conditions of use. No known applicable information.

Acute Potential Health Effects/ Routes of Entry

Inhalation : No serious effects anticipated under normal conditions of use.
Eyes : Not applicable under normal conditions of use.
Ingestion : Not applicable under normal conditions of use.
Skin : Not applicable under normal conditions of use.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal conditions of use.

SECTION 3 - PRODUCT COMPOSITION

This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : No known applicable information.
Eye contact : No known applicable information.
Skin contact : No known applicable information.
Ingestion : Not applicable under normal conditions of use.

TR4361E CUSTOM BLOCK 4" LONGVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 5 - FIRE FIGHTING MEASURES

Flash point	:	Not available.
Method	:	Not available.
Lower explosion limit	:	Not available.
Upper explosion limit	:	Not available.
Autoignition temperature	:	Not available.
Extinguishing media	:	This product is not expected to burn under normal conditions of use.
Hazardous combustion products	:	Not available.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Not Applicable

SECTION 7 - HANDLING AND STORAGE

Store under normal warehouse conditions.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal protection equipment**

Respiratory protection	:	Not required under normal conditions of use.
Hand protection	:	Protect hands with impervious gloves.
Eye protection	:	Wear appropriate eye protection.
Engineering measures	:	Not required under normal conditions of use.

Exposure Limits

No known components with exposure limits.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form	:	Solid
Color	:	Various colors
Odor	:	Slight Rubber
pH	:	Not available.
Vapour pressure	:	Not available.
Vapor density	:	Not available.
Melting point/range	:	Not available.
Freezing point	:	Not available.

TR4361E CUSTOM BLOCK 4" LONGVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

Boiling point/range : Not available.
Water solubility : Not available.
Specific Gravity : Not available.
% Volatile Weight : 0 %

SECTION 10 - REACTIVITY / STABILITY

Substances to avoid : Not Applicable.
Stability : Not Applicable
Hazardous polymerization : Not Applicable

SECTION 11 - TOXICOLOGICAL INFORMATION

No Data Available

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : Waste not regulated under RCRA. Dispose of in compliance with state and local regulations.

SECTION 14 - TRANSPORTATION / SHIPPING DATA**CFR / DOT:**

Not Regulated

TDG:

Not Regulated

IMDG:

Not Regulated

SECTION 15 - REGULATORY INFORMATION**North American Inventories:**

All components are listed or exempt from the TSCA inventory.
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

TR4361E CUSTOM BLOCK 4" LONG

Version 5.0
 REVISION DATE: 03/10/2015

Print Date 05/26/2016

U.S. Federal Regulations:

- SARA 313 Components : None present or none present in regulated quantities.
- SARA 311/312 Hazards : Based on an evaluation of the components used, this product does not contain hazardous ingredients identified as per 29 CFR 1910.1200
- OSHA Hazardous Components : This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.
- OSHA Flammability : Not Regulated
- Regulatory VOC (less water and exempt solvent) : Not available.
- VOC Method 310 : Not available.

SECTION 16 - OTHER INFORMATION

HMIS Rating :

Health	1
Flammability	0
Reactivity	0
PPE	

- 0 = Minimum
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

- ACGIH - American Conference of Governmental Hygienists
- CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
- DOT - Department of Transportation
- DSL - Domestic Substance List
- EPA - Environmental Protection Agency
- HMIS - Hazardous Materials Information System
- IARC - International Agency for Research on Cancer
- MSHA - Mine Safety Health Administration
- NDSL - Non-Domestic Substance List
- NIOSH - National Institute for Occupational Safety and Health
- NTP - National Toxicology Program
- OSHA - Occupational Safety and Health Administration
- PEL - Permissible Exposure Limit
- RCRA - Resource Conservation and Recovery Act
- RTK - Right To Know
- SARA - Superfund Amendments and Reauthorization Act
- STEL - Short Term Exposure Limit
- TLV - Threshold Limit Value
- TSCA - Toxic Substances Control Act
- TWA - Time Weighted Average
- V - Volume
- VOC - Volatile Organic Compound
- WHMIS - Workplace Hazardous Materials Information System

TR4662E CUSTOM GASKETVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : **TR4662E CUSTOM GASKET**

Product code : 0024662E7Z

COMPANY : Tremco Incorporated
3735 Green Road
Cleveland, OH 44122

Telephone : (216) 292-5000 8:30 - 5:00 EST
Emergency Phone : (216) 765-6727 8:30 - 5:00 EST
After Hours: Chemtrec 1-800-424-9300

SECTION 2 - HAZARDS IDENTIFICATION**Emergency Overview**

Various colors. Solid. No serious effects anticipated under normal conditions of use. No known applicable information.

Acute Potential Health Effects/ Routes of Entry

Inhalation : No serious effects anticipated under normal conditions of use.
Eyes : Not applicable under normal conditions of use.
Ingestion : Not applicable under normal conditions of use.
Skin : Not applicable under normal conditions of use.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal conditions of use.

SECTION 3 - PRODUCT COMPOSITION

This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : No known applicable information.
Eye contact : No known applicable information.
Skin contact : No known applicable information.
Ingestion : Not applicable under normal conditions of use.

TR4662E CUSTOM GASKETVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 5 - FIRE FIGHTING MEASURES

Flash point	:	Not available.
Method	:	Not available.
Lower explosion limit	:	Not available.
Upper explosion limit	:	Not available.
Autoignition temperature	:	Not available.
Extinguishing media	:	This product is not expected to burn under normal conditions of use.
Hazardous combustion products	:	Not available.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Not Applicable

SECTION 7 - HANDLING AND STORAGE

Store under normal warehouse conditions.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal protection equipment**

Respiratory protection	:	Not required under normal conditions of use.
Hand protection	:	Protect hands with impervious gloves.
Eye protection	:	Wear appropriate eye protection.
Engineering measures	:	Not required under normal conditions of use.

Exposure Limits

No known components with exposure limits.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form	:	Solid
Color	:	Various colors
Odor	:	Slight Rubber
pH	:	Not available.
Vapour pressure	:	Not available.
Vapor density	:	Not available.
Melting point/range	:	Not available.
Freezing point	:	Not available.

TR4662E CUSTOM GASKET

Version 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

Boiling point/range : Not available.
Water solubility : Not available.
Specific Gravity : Not available.
% Volatile Weight : 0 %

SECTION 10 - REACTIVITY / STABILITY

Substances to avoid : Not Applicable.
Stability : Not Applicable
Hazardous polymerization : Not Applicable

SECTION 11 - TOXICOLOGICAL INFORMATION

No Data Available

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : Waste not regulated under RCRA. Dispose of in compliance with state and local regulations.

SECTION 14 - TRANSPORTATION / SHIPPING DATA

CFR / DOT:

Not Regulated

TDG:

Not Regulated

IMDG:

Not Regulated

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory.
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

TR4662E CUSTOM GASKET

Version 5.0
 REVISION DATE: 03/10/2015

Print Date 05/26/2016

U.S. Federal Regulations:

- SARA 313 Components : None present or none present in regulated quantities.
- SARA 311/312 Hazards : Based on an evaluation of the components used, this product does not contain hazardous ingredients identified as per 29 CFR 1910.1200
- OSHA Hazardous Components : This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.
- OSHA Flammability : Not Regulated
- Regulatory VOC (less water and exempt solvent) : Not available.
- VOC Method 310 : Not available.

SECTION 16 - OTHER INFORMATION

HMIS Rating :

Health	1
Flammability	0
Reactivity	0
PPE	

- 0 = Minimum
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

- ACGIH - American Conference of Governmental Hygienists
- CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
- DOT - Department of Transportation
- DSL - Domestic Substance List
- EPA - Environmental Protection Agency
- HMIS - Hazardous Materials Information System
- IARC - International Agency for Research on Cancer
- MSHA - Mine Safety Health Administration
- NDSL - Non-Domestic Substance List
- NIOSH - National Institute for Occupational Safety and Health
- NTP - National Toxicology Program
- OSHA - Occupational Safety and Health Administration
- PEL - Permissible Exposure Limit
- RCRA - Resource Conservation and Recovery Act
- RTK - Right To Know
- SARA - Superfund Amendments and Reauthorization Act
- STEL - Short Term Exposure Limit
- TLV - Threshold Limit Value
- TSCA - Toxic Substances Control Act
- TWA - Time Weighted Average
- V - Volume
- VOC - Volatile Organic Compound
- WHMIS - Workplace Hazardous Materials Information System

TR4961S SLIDE IN FINGER GASKETVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : TR4961S SLIDE IN FINGER GASKET

Product code : 0024961S7Z

COMPANY : Tremco Incorporated
3735 Green Road
Cleveland, OH 44122

Telephone : (216) 292-5000 8:30 - 5:00 EST
Emergency Phone : (216) 765-6727 8:30 - 5:00 EST
After Hours: Chemtrec 1-800-424-9300

SECTION 2 - HAZARDS IDENTIFICATION**Emergency Overview**

Various colors. Solid. No serious effects anticipated under normal conditions of use. No known applicable information.

Acute Potential Health Effects/ Routes of Entry

Inhalation : No serious effects anticipated under normal conditions of use.
Eyes : Not applicable under normal conditions of use.
Ingestion : Not applicable under normal conditions of use.
Skin : Not applicable under normal conditions of use.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal conditions of use.

SECTION 3 - PRODUCT COMPOSITION

This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : No known applicable information.
Eye contact : No known applicable information.
Skin contact : No known applicable information.
Ingestion : Not applicable under normal conditions of use.

TR4961S SLIDE IN FINGER GASKETVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 5 - FIRE FIGHTING MEASURES

Flash point	:	Not available.
Method	:	Not available.
Lower explosion limit	:	Not available.
Upper explosion limit	:	Not available.
Autoignition temperature	:	Not available.
Extinguishing media	:	This product is not expected to burn under normal conditions of use.
Hazardous combustion products	:	Not available.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Not Applicable

SECTION 7 - HANDLING AND STORAGE

Store under normal warehouse conditions.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal protection equipment**

Respiratory protection	:	Not required under normal conditions of use.
Hand protection	:	Protect hands with impervious gloves.
Eye protection	:	Wear appropriate eye protection.
Engineering measures	:	Not required under normal conditions of use.

Exposure Limits

No known components with exposure limits.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form	:	Solid
Color	:	Various colors
Odor	:	Slight Rubber
pH	:	Not available.
Vapour pressure	:	Not available.
Vapor density	:	Not available.
Melting point/range	:	Not available.
Freezing point	:	Not available.



TR4961S SLIDE IN FINGER GASKET

Version 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

Boiling point/range : Not available.
Water solubility : Not available.
Specific Gravity : Not available.
% Volatile Weight : 0 %

SECTION 10 - REACTIVITY / STABILITY

Substances to avoid : Not Applicable.
Stability : Not Applicable
Hazardous polymerization : Not Applicable

SECTION 11 - TOXICOLOGICAL INFORMATION

No Data Available

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : Waste not regulated under RCRA. Dispose of in compliance with state and local regulations.

SECTION 14 - TRANSPORTATION / SHIPPING DATA

CFR / DOT:

Not Regulated

TDG:

Not Regulated

IMDG:

Not Regulated

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory.
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.



TR4961S SLIDE IN FINGER GASKET

Version 5.0
 REVISION DATE: 03/10/2015

Print Date 05/26/2016

U.S. Federal Regulations:

- SARA 313 Components : None present or none present in regulated quantities.
- SARA 311/312 Hazards : Based on an evaluation of the components used, this product does not contain hazardous ingredients identified as per 29 CFR 1910.1200
- OSHA Hazardous Components : This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.
- OSHA Flammability : Not Regulated
- Regulatory VOC (less water and exempt solvent) : Not available.
- VOC Method 310 : Not available.

SECTION 16 - OTHER INFORMATION

HMIS Rating :

Health	1
Flammability	0
Reactivity	0
PPE	

- 0 = Minimum
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

- ACGIH - American Conference of Governmental Hygienists
- CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
- DOT - Department of Transportation
- DSL - Domestic Substance List
- EPA - Environmental Protection Agency
- HMIS - Hazardous Materials Information System
- IARC - International Agency for Research on Cancer
- MSHA - Mine Safety Health Administration
- NDSL - Non-Domestic Substance List
- NIOSH - National Institute for Occupational Safety and Health
- NTP - National Toxicology Program
- OSHA - Occupational Safety and Health Administration
- PEL - Permissible Exposure Limit
- RCRA - Resource Conservation and Recovery Act
- RTK - Right To Know
- SARA - Superfund Amendments and Reauthorization Act
- STEL - Short Term Exposure Limit
- TLV - Threshold Limit Value
- TSCA - Toxic Substances Control Act
- TWA - Time Weighted Average
- V - Volume
- VOC - Volatile Organic Compound
- WHMIS - Workplace Hazardous Materials Information System

TR5180S CUSTOM GASKETVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : **TR5180S CUSTOM GASKET**

Product code : 0025180S7Z

COMPANY : Tremco Incorporated
3735 Green Road
Cleveland, OH 44122

Telephone : (216) 292-5000 8:30 - 5:00 EST
Emergency Phone : (216) 765-6727 8:30 - 5:00 EST
After Hours: Chemtrec 1-800-424-9300

SECTION 2 - HAZARDS IDENTIFICATION**Emergency Overview**

Various colors. Solid. No serious effects anticipated under normal conditions of use. No known applicable information.

Acute Potential Health Effects/ Routes of Entry

Inhalation : No serious effects anticipated under normal conditions of use.
Eyes : Not applicable under normal conditions of use.
Ingestion : Not applicable under normal conditions of use.
Skin : Not applicable under normal conditions of use.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal conditions of use.

SECTION 3 - PRODUCT COMPOSITION

This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : No known applicable information.
Eye contact : No known applicable information.
Skin contact : No known applicable information.
Ingestion : Not applicable under normal conditions of use.

TR5180S CUSTOM GASKETVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 5 - FIRE FIGHTING MEASURES

Flash point	:	Not available.
Method	:	Not available.
Lower explosion limit	:	Not available.
Upper explosion limit	:	Not available.
Autoignition temperature	:	Not available.
Extinguishing media	:	This product is not expected to burn under normal conditions of use.
Hazardous combustion products	:	Not available.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Not Applicable

SECTION 7 - HANDLING AND STORAGE

Store under normal warehouse conditions.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal protection equipment**

Respiratory protection	:	Not required under normal conditions of use.
Hand protection	:	Protect hands with impervious gloves.
Eye protection	:	Wear appropriate eye protection.
Engineering measures	:	Not required under normal conditions of use.

Exposure Limits

No known components with exposure limits.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form	:	Solid
Color	:	Various colors
Odor	:	Slight Rubber
pH	:	Not available.
Vapour pressure	:	Not available.
Vapor density	:	Not available.
Melting point/range	:	Not available.
Freezing point	:	Not available.

TR5180S CUSTOM GASKETVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

Boiling point/range : Not available.
Water solubility : Not available.
Specific Gravity : Not available.
% Volatile Weight : 0 %

SECTION 10 - REACTIVITY / STABILITY

Substances to avoid : Not Applicable.
Stability : Not Applicable
Hazardous polymerization : Not Applicable

SECTION 11 - TOXICOLOGICAL INFORMATION

No Data Available

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : Waste not regulated under RCRA. Dispose of in compliance with state and local regulations.

SECTION 14 - TRANSPORTATION / SHIPPING DATA**CFR / DOT:**

Not Regulated

TDG:

Not Regulated

IMDG:

Not Regulated

SECTION 15 - REGULATORY INFORMATION**North American Inventories:**

All components are listed or exempt from the TSCA inventory.
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

TR5180S CUSTOM GASKET

Version 5.0
 REVISION DATE: 03/10/2015

Print Date 05/26/2016

U.S. Federal Regulations:

- SARA 313 Components : None present or none present in regulated quantities.
- SARA 311/312 Hazards : Based on an evaluation of the components used, this product does not contain hazardous ingredients identified as per 29 CFR 1910.1200
- OSHA Hazardous Components : This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.
- OSHA Flammability : Not Regulated
- Regulatory VOC (less water and exempt solvent) : Not available.
- VOC Method 310 : Not available.

SECTION 16 - OTHER INFORMATION

HMIS Rating :

Health	1
Flammability	0
Reactivity	0
PPE	

- 0 = Minimum
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

- ACGIH - American Conference of Governmental Hygienists
- CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
- DOT - Department of Transportation
- DSL - Domestic Substance List
- EPA - Environmental Protection Agency
- HMIS - Hazardous Materials Information System
- IARC - International Agency for Research on Cancer
- MSHA - Mine Safety Health Administration
- NDSL - Non-Domestic Substance List
- NIOSH - National Institute for Occupational Safety and Health
- NTP - National Toxicology Program
- OSHA - Occupational Safety and Health Administration
- PEL - Permissible Exposure Limit
- RCRA - Resource Conservation and Recovery Act
- RTK - Right To Know
- SARA - Superfund Amendments and Reauthorization Act
- STEL - Short Term Exposure Limit
- TLV - Threshold Limit Value
- TSCA - Toxic Substances Control Act
- TWA - Time Weighted Average
- V - Volume
- VOC - Volatile Organic Compound
- WHMIS - Workplace Hazardous Materials Information System

TR6397E 4" CUSTOM BLOCK BAGGED& LABELEDVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : **TR6397E 4" CUSTOM BLOCK BAGGED& LABELED**

Product code : 0026397EA4 500 25

COMPANY : Tremco Incorporated
3735 Green Road
Cleveland, OH 44122

Telephone : (216) 292-5000 8:30 - 5:00 EST
Emergency Phone : (216) 765-6727 8:30 - 5:00 EST
After Hours: Chemtrec 1-800-424-9300

SECTION 2 - HAZARDS IDENTIFICATION**Emergency Overview**

Various colors. Solid. No serious effects anticipated under normal conditions of use. No known applicable information.

Acute Potential Health Effects/ Routes of Entry

Inhalation : No serious effects anticipated under normal conditions of use.
Eyes : Not applicable under normal conditions of use.
Ingestion : Not applicable under normal conditions of use.
Skin : Not applicable under normal conditions of use.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal conditions of use.

SECTION 3 - PRODUCT COMPOSITION

This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : No known applicable information.
Eye contact : No known applicable information.
Skin contact : No known applicable information.
Ingestion : Not applicable under normal conditions of use.

TR6397E 4" CUSTOM BLOCK BAGGED & LABELEDVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 5 - FIRE FIGHTING MEASURES

Flash point	:	Not available.
Method	:	Not available.
Lower explosion limit	:	Not available.
Upper explosion limit	:	Not available.
Autoignition temperature	:	Not available.
Extinguishing media	:	This product is not expected to burn under normal conditions of use.
Hazardous combustion products	:	Not available.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Not Applicable

SECTION 7 - HANDLING AND STORAGE

Store under normal warehouse conditions.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal protection equipment**

Respiratory protection	:	Not required under normal conditions of use.
Hand protection	:	Protect hands with impervious gloves.
Eye protection	:	Wear appropriate eye protection.
Engineering measures	:	Not required under normal conditions of use.

Exposure Limits

No known components with exposure limits.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form	:	Solid
Color	:	Various colors
Odor	:	Slight Rubber
pH	:	Not available.
Vapour pressure	:	Not available.
Vapor density	:	Not available.
Melting point/range	:	Not available.
Freezing point	:	Not available.

TR6397E 4" CUSTOM BLOCK BAGGED & LABELED

Version 5.0
 REVISION DATE: 03/10/2015

Print Date 05/26/2016

Boiling point/range : Not available.
 Water solubility : Not available.
 Specific Gravity : Not available.
 % Volatile Weight : 0 %

SECTION 10 - REACTIVITY / STABILITY

Substances to avoid : Not Applicable.
 Stability : Not Applicable
 Hazardous polymerization : Not Applicable

SECTION 11 - TOXICOLOGICAL INFORMATION

No Data Available

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : Waste not regulated under RCRA. Dispose of in compliance with state and local regulations.

SECTION 14 - TRANSPORTATION / SHIPPING DATA

CFR / DOT:

Not Regulated

TDG:

Not Regulated

IMDG:

Not Regulated

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory.
 This product or its components are listed on, or exempt from the Canadian Domestic Substances List.



TR6397E 4" CUSTOM BLOCK BAGGED& LABELED

Version 5.0
 REVISION DATE: 03/10/2015

Print Date 05/26/2016

U.S. Federal Regulations:

- SARA 313 Components : None present or none present in regulated quantities.
- SARA 311/312 Hazards : Based on an evaluation of the components used, this product does not contain hazardous ingredients identified as per 29 CFR 1910.1200
- OSHA Hazardous Components : This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.
- OSHA Flammability : Not Regulated
- Regulatory VOC (less water and exempt solvent) : Not available.
- VOC Method 310 : Not available.

SECTION 16 - OTHER INFORMATION

HMIS Rating :

Health	1
Flammability	0
Reactivity	0
PPE	

- 0 = Minimum
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

- ACGIH - American Conference of Governmental Hygienists
- CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
- DOT - Department of Transportation
- DSL - Domestic Substance List
- EPA - Environmental Protection Agency
- HMIS - Hazardous Materials Information System
- IARC - International Agency for Research on Cancer
- MSHA - Mine Safety Health Administration
- NDSL - Non-Domestic Substance List
- NIOSH - National Institute for Occupational Safety and Health
- NTP - National Toxicology Program
- OSHA - Occupational Safety and Health Administration
- PEL - Permissible Exposure Limit
- RCRA - Resource Conservation and Recovery Act
- RTK - Right To Know
- SARA - Superfund Amendments and Reauthorization Act
- STEL - Short Term Exposure Limit
- TLV - Threshold Limit Value
- TSCA - Toxic Substances Control Act
- TWA - Time Weighted Average
- V - Volume
- VOC - Volatile Organic Compound
- WHMIS - Workplace Hazardous Materials Information System

TR1264T 70 DURO UNIPRENE CUSTOM GASKETVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : TR1264T 70 DURO UNIPRENE CUSTOM GASKET

Product code : 0181264TD7

COMPANY : Tremco Incorporated
3735 Green Road
Cleveland, OH 44122

Telephone : (216) 292-5000 8:30 - 5:00 EST
Emergency Phone : (216) 765-6727 8:30 - 5:00 EST
After Hours: Chemtrec 1-800-424-9300

SECTION 2 - HAZARDS IDENTIFICATION**Emergency Overview**

Various colors. Solid. No serious effects anticipated under normal conditions of use. No known applicable information.

Acute Potential Health Effects/ Routes of Entry

Inhalation : No serious effects anticipated under normal conditions of use.
Eyes : Not applicable under normal conditions of use.
Ingestion : Not applicable under normal conditions of use.
Skin : Not applicable under normal conditions of use.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal conditions of use.

SECTION 3 - PRODUCT COMPOSITION

This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : No known applicable information.
Eye contact : No known applicable information.
Skin contact : No known applicable information.
Ingestion : Not applicable under normal conditions of use.

TR1264T 70 DURO UNIPRENE CUSTOM GASKETVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 5 - FIRE FIGHTING MEASURES

Flash point	:	Not available.
Method	:	Not available.
Lower explosion limit	:	Not available.
Upper explosion limit	:	Not available.
Autoignition temperature	:	Not available.
Extinguishing media	:	This product is not expected to burn under normal conditions of use.
Hazardous combustion products	:	Not available.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Not Applicable

SECTION 7 - HANDLING AND STORAGE

Store under normal warehouse conditions.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal protection equipment**

Respiratory protection	:	Not required under normal conditions of use.
Hand protection	:	Protect hands with impervious gloves.
Eye protection	:	Wear appropriate eye protection.
Engineering measures	:	Not required under normal conditions of use.

Exposure Limits

No known components with exposure limits.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form	:	Solid
Color	:	Various colors
Odor	:	Slight Rubber
pH	:	Not available.
Vapour pressure	:	Not available.
Vapor density	:	Not available.
Melting point/range	:	Not available.
Freezing point	:	Not available.

TR1264T 70 DURO UNIPRENE CUSTOM GASKET

Version 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

Boiling point/range : Not available.
Water solubility : Not available.
Specific Gravity : Not available.
% Volatile Weight : 0 %

SECTION 10 - REACTIVITY / STABILITY

Substances to avoid : Not Applicable.
Stability : Not Applicable
Hazardous polymerization : Not Applicable

SECTION 11 - TOXICOLOGICAL INFORMATION

No Data Available

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : Waste not regulated under RCRA. Dispose of in compliance with state and local regulations.

SECTION 14 - TRANSPORTATION / SHIPPING DATA

CFR / DOT:

Not Regulated

TDG:

Not Regulated

IMDG:

Not Regulated

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory.
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

TR1264T 70 DURO UNIPRENE CUSTOM GASKET

Version 5.0
 REVISION DATE: 03/10/2015

Print Date 05/26/2016

U.S. Federal Regulations:

- SARA 313 Components : None present or none present in regulated quantities.
- SARA 311/312 Hazards : Based on an evaluation of the components used, this product does not contain hazardous ingredients identified as per 29 CFR 1910.1200
- OSHA Hazardous Components : This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.
- OSHA Flammability : Not Regulated
- Regulatory VOC (less water and exempt solvent) : Not available.
- VOC Method 310 : Not available.

SECTION 16 - OTHER INFORMATION

HMIS Rating :

Health	1
Flammability	0
Reactivity	0
PPE	

- 0 = Minimum
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

- ACGIH - American Conference of Governmental Hygienists
- CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
- DOT - Department of Transportation
- DSL - Domestic Substance List
- EPA - Environmental Protection Agency
- HMIS - Hazardous Materials Information System
- IARC - International Agency for Research on Cancer
- MSHA - Mine Safety Health Administration
- NDSL - Non-Domestic Substance List
- NIOSH - National Institute for Occupational Safety and Health
- NTP - National Toxicology Program
- OSHA - Occupational Safety and Health Administration
- PEL - Permissible Exposure Limit
- RCRA - Resource Conservation and Recovery Act
- RTK - Right To Know
- SARA - Superfund Amendments and Reauthorization Act
- STEL - Short Term Exposure Limit
- TLV - Threshold Limit Value
- TSCA - Toxic Substances Control Act
- TWA - Time Weighted Average
- V - Volume
- VOC - Volatile Organic Compound
- WHMIS - Workplace Hazardous Materials Information System

SGT 922 TAPE 1/4" X 3/8" 1350FT/CSVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : **SGT 922 TAPE 1/4" X 3/8" 1350FT/CS**

Product code : 084206 760

COMPANY : Tremco Incorporated
3735 Green Road
Cleveland, OH 44122

Telephone : (216) 292-5000 8:30 - 5:00 EST
Emergency Phone : (216) 765-6727 8:30 - 5:00 EST
After Hours: Chemtrec 1-800-424-9300

SECTION 2 - HAZARDS IDENTIFICATION**Emergency Overview**

Various colors. Solid. No serious effects anticipated under normal conditions of use. No known applicable information.

Acute Potential Health Effects/ Routes of Entry

Inhalation : No serious effects anticipated under normal conditions of use.
Eyes : Not applicable under normal conditions of use.
Ingestion : Not applicable under normal conditions of use.
Skin : Not applicable under normal conditions of use.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal conditions of use.

SECTION 3 - PRODUCT COMPOSITION

This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : No known applicable information.
Eye contact : No known applicable information.
Skin contact : No known applicable information.
Ingestion : Not applicable under normal conditions of use.

SGT 922 TAPE 1/4" X 3/8" 1350FT/CSVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 5 - FIRE FIGHTING MEASURES

Flash point	:	Not available.
Method	:	Not available.
Lower explosion limit	:	Not available.
Upper explosion limit	:	Not available.
Autoignition temperature	:	Not available.
Extinguishing media	:	This product is not expected to burn under normal conditions of use.
Hazardous combustion products	:	Not available.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Not Applicable

SECTION 7 - HANDLING AND STORAGE

Store under normal warehouse conditions.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal protection equipment**

Respiratory protection	:	Not required under normal conditions of use.
Hand protection	:	Protect hands with impervious gloves.
Eye protection	:	Wear appropriate eye protection.
Engineering measures	:	Not required under normal conditions of use.

Exposure Limits

No known components with exposure limits.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form	:	Solid
Color	:	Various colors
Odor	:	Slight Rubber
pH	:	Not available.
Vapour pressure	:	Not available.
Vapor density	:	Not available.
Melting point/range	:	Not available.
Freezing point	:	Not available.

SGT 922 TAPE 1/4" X 3/8" 1350FT/CS

Version 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

Boiling point/range : Not available.
Water solubility : Not available.
Specific Gravity : Not available.
% Volatile Weight : 0 %

SECTION 10 - REACTIVITY / STABILITY

Substances to avoid : Not Applicable.
Stability : Not Applicable
Hazardous polymerization : Not Applicable

SECTION 11 - TOXICOLOGICAL INFORMATION

No Data Available

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : Waste not regulated under RCRA. Dispose of in compliance with state and local regulations.

SECTION 14 - TRANSPORTATION / SHIPPING DATA

CFR / DOT:

Not Regulated

TDG:

Not Regulated

IMDG:

Not Regulated

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory.
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.



SGT 922 TAPE 1/4" X 3/8" 1350FT/CS

Version 5.0
 REVISION DATE: 03/10/2015

Print Date 05/26/2016

U.S. Federal Regulations:

- SARA 313 Components : None present or none present in regulated quantities.
- SARA 311/312 Hazards : Based on an evaluation of the components used, this product does not contain hazardous ingredients identified as per 29 CFR 1910.1200
- OSHA Hazardous Components : This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.
- OSHA Flammability : Not Regulated
- Regulatory VOC (less water and exempt solvent) : Not available.
- VOC Method 310 : Not available.

SECTION 16 - OTHER INFORMATION

HMIS Rating :

Health	1
Flammability	0
Reactivity	0
PPE	

- 0 = Minimum
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

- ACGIH - American Conference of Governmental Hygienists
- CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
- DOT - Department of Transportation
- DSL - Domestic Substance List
- EPA - Environmental Protection Agency
- HMIS - Hazardous Materials Information System
- IARC - International Agency for Research on Cancer
- MSHA - Mine Safety Health Administration
- NDSL - Non-Domestic Substance List
- NIOSH - National Institute for Occupational Safety and Health
- NTP - National Toxicology Program
- OSHA - Occupational Safety and Health Administration
- PEL - Permissible Exposure Limit
- RCRA - Resource Conservation and Recovery Act
- RTK - Right To Know
- SARA - Superfund Amendments and Reauthorization Act
- STEL - Short Term Exposure Limit
- TLV - Threshold Limit Value
- TSCA - Toxic Substances Control Act
- TWA - Time Weighted Average
- V - Volume
- VOC - Volatile Organic Compound
- WHMIS - Workplace Hazardous Materials Information System

TR13288E 70 DURO EPDM WEDGE,W/SILICONEVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : TR13288E 70 DURO EPDM WEDGE,W/SILICONE

Product code : 17613288E7Z

COMPANY : Tremco Incorporated
3735 Green Road
Cleveland, OH 44122

Telephone : (216) 292-5000 8:30 - 5:00 EST

Emergency Phone : (216) 765-6727 8:30 - 5:00 EST
After Hours: Chemtrec 1-800-424-9300

SECTION 2 - HAZARDS IDENTIFICATION**Emergency Overview**

Various colors. Solid. No serious effects anticipated under normal conditions of use. No known applicable information.

Acute Potential Health Effects/ Routes of Entry

Inhalation : No serious effects anticipated under normal conditions of use.

Eyes : Not applicable under normal conditions of use.

Ingestion : Not applicable under normal conditions of use.

Skin : Not applicable under normal conditions of use.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal conditions of use.

SECTION 3 - PRODUCT COMPOSITION

This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : No known applicable information.

Eye contact : No known applicable information.

Skin contact : No known applicable information.

Ingestion : Not applicable under normal conditions of use.

TR13288E 70 DURO EPDM WEDGE,W/SILICONEVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 5 - FIRE FIGHTING MEASURES

Flash point	:	Not available.
Method	:	Not available.
Lower explosion limit	:	Not available.
Upper explosion limit	:	Not available.
Autoignition temperature	:	Not available.
Extinguishing media	:	This product is not expected to burn under normal conditions of use.
Hazardous combustion products	:	Not available.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Not Applicable

SECTION 7 - HANDLING AND STORAGE

Store under normal warehouse conditions.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal protection equipment**

Respiratory protection	:	Not required under normal conditions of use.
Hand protection	:	Protect hands with impervious gloves.
Eye protection	:	Wear appropriate eye protection.
Engineering measures	:	Not required under normal conditions of use.

Exposure Limits

No known components with exposure limits.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form	:	Solid
Color	:	Various colors
Odor	:	Slight Rubber
pH	:	Not available.
Vapour pressure	:	Not available.
Vapor density	:	Not available.
Melting point/range	:	Not available.
Freezing point	:	Not available.

TR13288E 70 DURO EPDM WEDGE,W/SILICONE

Version 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

Boiling point/range : Not available.
Water solubility : Not available.
Specific Gravity : Not available.
% Volatile Weight : 0 %

SECTION 10 - REACTIVITY / STABILITY

Substances to avoid : Not Applicable.
Stability : Not Applicable
Hazardous polymerization : Not Applicable

SECTION 11 - TOXICOLOGICAL INFORMATION

No Data Available

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : Waste not regulated under RCRA. Dispose of in compliance with state and local regulations.

SECTION 14 - TRANSPORTATION / SHIPPING DATA

CFR / DOT:

Not Regulated

TDG:

Not Regulated

IMDG:

Not Regulated

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory.
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

TR13288E 70 DURO EPDM WEDGE,W/SILICONE

Version 5.0
 REVISION DATE: 03/10/2015

Print Date 05/26/2016

U.S. Federal Regulations:

- SARA 313 Components : None present or none present in regulated quantities.
- SARA 311/312 Hazards : Based on an evaluation of the components used, this product does not contain hazardous ingredients identified as per 29 CFR 1910.1200
- OSHA Hazardous Components : This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.
- OSHA Flammability : Not Regulated
- Regulatory VOC (less water and exempt solvent) : Not available.
- VOC Method 310 : Not available.

SECTION 16 - OTHER INFORMATION

HMIS Rating :

Health	1
Flammability	0
Reactivity	0
PPE	

- 0 = Minimum
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

- ACGIH - American Conference of Governmental Hygienists
- CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
- DOT - Department of Transportation
- DSL - Domestic Substance List
- EPA - Environmental Protection Agency
- HMIS - Hazardous Materials Information System
- IARC - International Agency for Research on Cancer
- MSHA - Mine Safety Health Administration
- NDSL - Non-Domestic Substance List
- NIOSH - National Institute for Occupational Safety and Health
- NTP - National Toxicology Program
- OSHA - Occupational Safety and Health Administration
- PEL - Permissible Exposure Limit
- RCRA - Resource Conservation and Recovery Act
- RTK - Right To Know
- SARA - Superfund Amendments and Reauthorization Act
- STEL - Short Term Exposure Limit
- TLV - Threshold Limit Value
- TSCA - Toxic Substances Control Act
- TWA - Time Weighted Average
- V - Volume
- VOC - Volatile Organic Compound
- WHMIS - Workplace Hazardous Materials Information System

TR13289E 85 DURO EPDM PBI, W / SILICONEVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : TR13289E 85 DURO EPDM PBI, W / SILICONE

Product code : 17613289E9Z

COMPANY : Tremco Incorporated
3735 Green Road
Cleveland, OH 44122

Telephone : (216) 292-5000 8:30 - 5:00 EST
Emergency Phone : (216) 765-6727 8:30 - 5:00 EST
After Hours: Chemtrec 1-800-424-9300

SECTION 2 - HAZARDS IDENTIFICATION**Emergency Overview**

Various colors. Solid. No serious effects anticipated under normal conditions of use. No known applicable information.

Acute Potential Health Effects/ Routes of Entry

Inhalation : No serious effects anticipated under normal conditions of use.
Eyes : Not applicable under normal conditions of use.
Ingestion : Not applicable under normal conditions of use.
Skin : Not applicable under normal conditions of use.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal conditions of use.

SECTION 3 - PRODUCT COMPOSITION

This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : No known applicable information.
Eye contact : No known applicable information.
Skin contact : No known applicable information.
Ingestion : Not applicable under normal conditions of use.

TR13289E 85 DURO EPDM PBI, W / SILICONEVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 5 - FIRE FIGHTING MEASURES

Flash point	:	Not available.
Method	:	Not available.
Lower explosion limit	:	Not available.
Upper explosion limit	:	Not available.
Autoignition temperature	:	Not available.
Extinguishing media	:	This product is not expected to burn under normal conditions of use.
Hazardous combustion products	:	Not available.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Not Applicable

SECTION 7 - HANDLING AND STORAGE

Store under normal warehouse conditions.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal protection equipment**

Respiratory protection	:	Not required under normal conditions of use.
Hand protection	:	Protect hands with impervious gloves.
Eye protection	:	Wear appropriate eye protection.
Engineering measures	:	Not required under normal conditions of use.

Exposure Limits

No known components with exposure limits.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form	:	Solid
Color	:	Various colors
Odor	:	Slight Rubber
pH	:	Not available.
Vapour pressure	:	Not available.
Vapor density	:	Not available.
Melting point/range	:	Not available.
Freezing point	:	Not available.

TR13289E 85 DURO EPDM PBI, W / SILICONE

Version 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

Boiling point/range : Not available.
Water solubility : Not available.
Specific Gravity : Not available.
% Volatile Weight : 0 %

SECTION 10 - REACTIVITY / STABILITY

Substances to avoid : Not Applicable.
Stability : Not Applicable
Hazardous polymerization : Not Applicable

SECTION 11 - TOXICOLOGICAL INFORMATION

No Data Available

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : Waste not regulated under RCRA. Dispose of in compliance with state and local regulations.

SECTION 14 - TRANSPORTATION / SHIPPING DATA

CFR / DOT:

Not Regulated

TDG:

Not Regulated

IMDG:

Not Regulated

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory.
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

TR13289E 85 DURO EPDM PBI, W / SILICONE

Version 5.0
 REVISION DATE: 03/10/2015

Print Date 05/26/2016

U.S. Federal Regulations:

- SARA 313 Components : None present or none present in regulated quantities.
- SARA 311/312 Hazards : Based on an evaluation of the components used, this product does not contain hazardous ingredients identified as per 29 CFR 1910.1200
- OSHA Hazardous Components : This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.
- OSHA Flammability : Not Regulated
- Regulatory VOC (less water and exempt solvent) : Not available.
- VOC Method 310 : Not available.

SECTION 16 - OTHER INFORMATION

HMIS Rating :

Health	1
Flammability	0
Reactivity	0
PPE	

- 0 = Minimum
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

- ACGIH - American Conference of Governmental Hygienists
- CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
- DOT - Department of Transportation
- DSL - Domestic Substance List
- EPA - Environmental Protection Agency
- HMIS - Hazardous Materials Information System
- IARC - International Agency for Research on Cancer
- MSHA - Mine Safety Health Administration
- NDSL - Non-Domestic Substance List
- NIOSH - National Institute for Occupational Safety and Health
- NTP - National Toxicology Program
- OSHA - Occupational Safety and Health Administration
- PEL - Permissible Exposure Limit
- RCRA - Resource Conservation and Recovery Act
- RTK - Right To Know
- SARA - Superfund Amendments and Reauthorization Act
- STEL - Short Term Exposure Limit
- TLV - Threshold Limit Value
- TSCA - Toxic Substances Control Act
- TWA - Time Weighted Average
- V - Volume
- VOC - Volatile Organic Compound
- WHMIS - Workplace Hazardous Materials Information System

TR13292E 70D EPDM TOP LOAD WEDGE W/SILVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : TR13292E 70D EPDM TOP LOAD WEDGE W/SIL

Product code : 17613292E7Z

COMPANY : Tremco Incorporated
3735 Green Road
Cleveland, OH 44122

Telephone : (216) 292-5000 8:30 - 5:00 EST
Emergency Phone : (216) 765-6727 8:30 - 5:00 EST
After Hours: Chemtrec 1-800-424-9300

SECTION 2 - HAZARDS IDENTIFICATION**Emergency Overview**

Various colors. Solid. No serious effects anticipated under normal conditions of use. No known applicable information.

Acute Potential Health Effects/ Routes of Entry

Inhalation : No serious effects anticipated under normal conditions of use.
Eyes : Not applicable under normal conditions of use.
Ingestion : Not applicable under normal conditions of use.
Skin : Not applicable under normal conditions of use.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal conditions of use.

SECTION 3 - PRODUCT COMPOSITION

This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : No known applicable information.
Eye contact : No known applicable information.
Skin contact : No known applicable information.
Ingestion : Not applicable under normal conditions of use.

TR13292E 70D EPDM TOP LOAD WEDGE W/SILVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 5 - FIRE FIGHTING MEASURES

Flash point	:	Not available.
Method	:	Not available.
Lower explosion limit	:	Not available.
Upper explosion limit	:	Not available.
Autoignition temperature	:	Not available.
Extinguishing media	:	This product is not expected to burn under normal conditions of use.
Hazardous combustion products	:	Not available.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Not Applicable

SECTION 7 - HANDLING AND STORAGE

Store under normal warehouse conditions.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal protection equipment**

Respiratory protection	:	Not required under normal conditions of use.
Hand protection	:	Protect hands with impervious gloves.
Eye protection	:	Wear appropriate eye protection.
Engineering measures	:	Not required under normal conditions of use.

Exposure Limits

No known components with exposure limits.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form	:	Solid
Color	:	Various colors
Odor	:	Slight Rubber
pH	:	Not available.
Vapour pressure	:	Not available.
Vapor density	:	Not available.
Melting point/range	:	Not available.
Freezing point	:	Not available.



TR13292E 70D EPDM TOP LOAD WEDGE W/SIL

Version 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

Boiling point/range : Not available.
Water solubility : Not available.
Specific Gravity : Not available.
% Volatile Weight : 0 %

SECTION 10 - REACTIVITY / STABILITY

Substances to avoid : Not Applicable.
Stability : Not Applicable
Hazardous polymerization : Not Applicable

SECTION 11 - TOXICOLOGICAL INFORMATION

No Data Available

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : Waste not regulated under RCRA. Dispose of in compliance with state and local regulations.

SECTION 14 - TRANSPORTATION / SHIPPING DATA

CFR / DOT:

Not Regulated

TDG:

Not Regulated

IMDG:

Not Regulated

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory.
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

TR13292E 70D EPDM TOP LOAD WEDGE W/SIL

Version 5.0
 REVISION DATE: 03/10/2015

Print Date 05/26/2016

U.S. Federal Regulations:

- SARA 313 Components : None present or none present in regulated quantities.
- SARA 311/312 Hazards : Based on an evaluation of the components used, this product does not contain hazardous ingredients identified as per 29 CFR 1910.1200
- OSHA Hazardous Components : This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.
- OSHA Flammability : Not Regulated
- Regulatory VOC (less water and exempt solvent) : Not available.
- VOC Method 310 : Not available.

SECTION 16 - OTHER INFORMATION

HMIS Rating :

Health	1
Flammability	0
Reactivity	0
PPE	

- 0 = Minimum
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

- ACGIH - American Conference of Governmental Hygienists
- CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
- DOT - Department of Transportation
- DSL - Domestic Substance List
- EPA - Environmental Protection Agency
- HMIS - Hazardous Materials Information System
- IARC - International Agency for Research on Cancer
- MSHA - Mine Safety Health Administration
- NDSL - Non-Domestic Substance List
- NIOSH - National Institute for Occupational Safety and Health
- NTP - National Toxicology Program
- OSHA - Occupational Safety and Health Administration
- PEL - Permissible Exposure Limit
- RCRA - Resource Conservation and Recovery Act
- RTK - Right To Know
- SARA - Superfund Amendments and Reauthorization Act
- STEL - Short Term Exposure Limit
- TLV - Threshold Limit Value
- TSCA - Toxic Substances Control Act
- TWA - Time Weighted Average
- V - Volume
- VOC - Volatile Organic Compound
- WHMIS - Workplace Hazardous Materials Information System

TR13369P 60DURO PEROXIDE EPDM W/SILICONEVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : TR13369P 60DURO PEROXIDE EPDM W/SILICONE

Product code : 17613369P6Z

COMPANY : Tremco Incorporated
3735 Green Road
Cleveland, OH 44122

Telephone : (216) 292-5000 8:30 - 5:00 EST

Emergency Phone : (216) 765-6727 8:30 - 5:00 EST
After Hours: Chemtrec 1-800-424-9300

SECTION 2 - HAZARDS IDENTIFICATION**Emergency Overview**

Various colors. Solid. No serious effects anticipated under normal conditions of use. No known applicable information.

Acute Potential Health Effects/ Routes of Entry

Inhalation : No serious effects anticipated under normal conditions of use.

Eyes : Not applicable under normal conditions of use.

Ingestion : Not applicable under normal conditions of use.

Skin : Not applicable under normal conditions of use.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal conditions of use.

SECTION 3 - PRODUCT COMPOSITION

This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : No known applicable information.

Eye contact : No known applicable information.

Skin contact : No known applicable information.

Ingestion : Not applicable under normal conditions of use.

TR13369P 60DURO PEROXIDE EPDM W/SILICONE

Version 5.0
 REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 5 - FIRE FIGHTING MEASURES

Flash point	:	Not available.
Method	:	Not available.
Lower explosion limit	:	Not available.
Upper explosion limit	:	Not available.
Autoignition temperature	:	Not available.
Extinguishing media	:	This product is not expected to burn under normal conditions of use.
Hazardous combustion products	:	Not available.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Not Applicable

SECTION 7 - HANDLING AND STORAGE

Store under normal warehouse conditions.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protection equipment

Respiratory protection	:	Not required under normal conditions of use.
Hand protection	:	Protect hands with impervious gloves.
Eye protection	:	Wear appropriate eye protection.
Engineering measures	:	Not required under normal conditions of use.

Exposure Limits

No known components with exposure limits.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form	:	Solid
Color	:	Various colors
Odor	:	Slight Rubber
pH	:	Not available.
Vapour pressure	:	Not available.
Vapor density	:	Not available.
Melting point/range	:	Not available.
Freezing point	:	Not available.

TR13369P 60DURO PEROXIDE EPDM W/SILICONE

Version 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

Boiling point/range : Not available.
Water solubility : Not available.
Specific Gravity : Not available.
% Volatile Weight : 0 %

SECTION 10 - REACTIVITY / STABILITY

Substances to avoid : Not Applicable.
Stability : Not Applicable
Hazardous polymerization : Not Applicable

SECTION 11 - TOXICOLOGICAL INFORMATION

No Data Available

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : Waste not regulated under RCRA. Dispose of in compliance with state and local regulations.

SECTION 14 - TRANSPORTATION / SHIPPING DATA

CFR / DOT:

Not Regulated

TDG:

Not Regulated

IMDG:

Not Regulated

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory.
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

TR13369P 60DURO PEROXIDE EPDM W/SILICONE

Version 5.0
 REVISION DATE: 03/10/2015

Print Date 05/26/2016

U.S. Federal Regulations:

- SARA 313 Components : None present or none present in regulated quantities.
- SARA 311/312 Hazards : Based on an evaluation of the components used, this product does not contain hazardous ingredients identified as per 29 CFR 1910.1200
- OSHA Hazardous Components : This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.
- OSHA Flammability : Not Regulated
- Regulatory VOC (less water and exempt solvent) : Not available.
- VOC Method 310 : Not available.

SECTION 16 - OTHER INFORMATION

HMIS Rating :

Health	1
Flammability	0
Reactivity	0
PPE	

- 0 = Minimum
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

- ACGIH - American Conference of Governmental Hygienists
- CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
- DOT - Department of Transportation
- DSL - Domestic Substance List
- EPA - Environmental Protection Agency
- HMIS - Hazardous Materials Information System
- IARC - International Agency for Research on Cancer
- MSHA - Mine Safety Health Administration
- NDSL - Non-Domestic Substance List
- NIOSH - National Institute for Occupational Safety and Health
- NTP - National Toxicology Program
- OSHA - Occupational Safety and Health Administration
- PEL - Permissible Exposure Limit
- RCRA - Resource Conservation and Recovery Act
- RTK - Right To Know
- SARA - Superfund Amendments and Reauthorization Act
- STEL - Short Term Exposure Limit
- TLV - Threshold Limit Value
- TSCA - Toxic Substances Control Act
- TWA - Time Weighted Average
- V - Volume
- VOC - Volatile Organic Compound
- WHMIS - Workplace Hazardous Materials Information System

TR18043E 70 DURO EPDM THREAD-IN BULBVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : TR18043E 70 DURO EPDM THREAD-IN BULB

Product code : 17618043E7Z

COMPANY : Tremco Incorporated
3735 Green Road
Cleveland, OH 44122

Telephone : (216) 292-5000 8:30 - 5:00 EST
Emergency Phone : (216) 765-6727 8:30 - 5:00 EST
After Hours: Chemtrec 1-800-424-9300

SECTION 2 - HAZARDS IDENTIFICATION**Emergency Overview**

Various colors. Solid. No serious effects anticipated under normal conditions of use. No known applicable information.

Acute Potential Health Effects/ Routes of Entry

Inhalation : No serious effects anticipated under normal conditions of use.
Eyes : Not applicable under normal conditions of use.
Ingestion : Not applicable under normal conditions of use.
Skin : Not applicable under normal conditions of use.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal conditions of use.

SECTION 3 - PRODUCT COMPOSITION

This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : No known applicable information.
Eye contact : No known applicable information.
Skin contact : No known applicable information.
Ingestion : Not applicable under normal conditions of use.

TR18043E 70 DURO EPDM THREAD-IN BULBVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

SECTION 5 - FIRE FIGHTING MEASURES

Flash point	:	Not available.
Method	:	Not available.
Lower explosion limit	:	Not available.
Upper explosion limit	:	Not available.
Autoignition temperature	:	Not available.
Extinguishing media	:	This product is not expected to burn under normal conditions of use.
Hazardous combustion products	:	Not available.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Not Applicable

SECTION 7 - HANDLING AND STORAGE

Store under normal warehouse conditions.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal protection equipment**

Respiratory protection	:	Not required under normal conditions of use.
Hand protection	:	Protect hands with impervious gloves.
Eye protection	:	Wear appropriate eye protection.
Engineering measures	:	Not required under normal conditions of use.

Exposure Limits

No known components with exposure limits.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form	:	Solid
Color	:	Various colors
Odor	:	Slight Rubber
pH	:	Not available.
Vapour pressure	:	Not available.
Vapor density	:	Not available.
Melting point/range	:	Not available.
Freezing point	:	Not available.

TR18043E 70 DURO EPDM THREAD-IN BULBVersion 5.0
REVISION DATE: 03/10/2015

Print Date 05/26/2016

Boiling point/range : Not available.
Water solubility : Not available.
Specific Gravity : Not available.
% Volatile Weight : 0 %

SECTION 10 - REACTIVITY / STABILITY

Substances to avoid : Not Applicable.
Stability : Not Applicable
Hazardous polymerization : Not Applicable

SECTION 11 - TOXICOLOGICAL INFORMATION

No Data Available

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : Waste not regulated under RCRA. Dispose of in compliance with state and local regulations.

SECTION 14 - TRANSPORTATION / SHIPPING DATA**CFR / DOT:**

Not Regulated

TDG:

Not Regulated

IMDG:

Not Regulated

SECTION 15 - REGULATORY INFORMATION**North American Inventories:**

All components are listed or exempt from the TSCA inventory.
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

TR18043E 70 DURO EPDM THREAD-IN BULB

Version 5.0
 REVISION DATE: 03/10/2015

Print Date 05/26/2016

U.S. Federal Regulations:

- SARA 313 Components : None present or none present in regulated quantities.
- SARA 311/312 Hazards : Based on an evaluation of the components used, this product does not contain hazardous ingredients identified as per 29 CFR 1910.1200
- OSHA Hazardous Components : This product is an "article" as defined in Federal OSHA Hazard Communication Rule 29 CFR 1910.1200, and does not require a material safety data sheet.
- OSHA Flammability : Not Regulated
- Regulatory VOC (less water and exempt solvent) : Not available.
- VOC Method 310 : Not available.

SECTION 16 - OTHER INFORMATION

HMIS Rating :

Health	1
Flammability	0
Reactivity	0
PPE	

- 0 = Minimum
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

- ACGIH - American Conference of Governmental Hygienists
- CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
- DOT - Department of Transportation
- DSL - Domestic Substance List
- EPA - Environmental Protection Agency
- HMIS - Hazardous Materials Information System
- IARC - International Agency for Research on Cancer
- MSHA - Mine Safety Health Administration
- NDSL - Non-Domestic Substance List
- NIOSH - National Institute for Occupational Safety and Health
- NTP - National Toxicology Program
- OSHA - Occupational Safety and Health Administration
- PEL - Permissible Exposure Limit
- RCRA - Resource Conservation and Recovery Act
- RTK - Right To Know
- SARA - Superfund Amendments and Reauthorization Act
- STEL - Short Term Exposure Limit
- TLV - Threshold Limit Value
- TSCA - Toxic Substances Control Act
- TWA - Time Weighted Average
- V - Volume
- VOC - Volatile Organic Compound
- WHMIS - Workplace Hazardous Materials Information System